

TELESPAR® Pre-Galvanized Steel 1.5" SQ 12 GA With Holes

OD	GA	Length	Description	Wt/ Piece	Standard Package
1.500	12	12.000	TEL-SQ PGAL/H 1.500 12 012.00M	1.7450	25
1.500	12	18.000	TEL-SQ PGAL/H 1.500 12 018.00M	2.6175	25
1.500	12	24.000	TEL-SQ PGAL/H 1.500 12 024.00M	3.4900	25
1.500	12	30.000	TEL-SQ PGAL/H 1.500 12 030.00M	4.3625	25
1.500	12	36.000	TEL-SQ PGAL/H 1.500 12 036.00M	5.2350	25
1.500	12	42.000	TEL-SQ PGAL/H 1.500 12 042.00M	6.1075	25
1.500	12	48.000	TEL-SQ PGAL/H 1.500 12 048.00M	6.9800	25
1.500	12	60.000	TEL-SQ PGAL/H 1.500 12 060.00M	8.7250	25
1.500	12	72.000	TEL-SQ PGAL/H 1.500 12 072.00M	10.4700	25
1.500	12	84.000	TEL-SQ PGAL/H 1.500 12 084.00M	12.2150	25
1.500	12	96.000	TEL-SQ PGAL/H 1.500 12 096.00M	13.9600	25
1.500	12	108.000	TEL-SQ PGAL/H 1.500 12 108.00M	15.7050	25
1.500	12	120.000	TEL-SQ PGAL/H 1.500 12 120.00M	17.4500	25
1.500	12	132.000	TEL-SQ PGAL/H 1.500 12 132.00M	19.1950	25
1.500	12	144.000	TEL-SQ PGAL/H 1.500 12 144.00M	20.9400	25
1.500	12	156.000	TEL-SQ PGAL/H 1.500 12 156.00M	22.6850	25
1.500	12	168.000	TEL-SQ PGAL/H 1.500 12 168.00M	24.4300	25
1.500	12	241.750	TEL-SQ PGAL/H 1.500 12 241.75P	35.1545	25
1.500	12	289.750	TEL-SQ PGAL/H 1.500 12 289.75P	42.1345	25

TELESPAR® Raw WIC Steel SQ - Holes

OD	GA	Length	Description	Wt/ Piece	Standard Package
1.5	12	289.75	SQ RAW HOLES 1.500 12 289.750	42.1345	25
1.75	12	289.75	SQ RAW HOLES 1.750 12 289.750	50.5614	25
1.75	12	289.75	SQ RAW HOLES 1.750 12 289.750	50.5614	25
2	12	241.75	SQ RAW HOLES 2.00 X 12 X 241.750	49.2364	25
2	12	289.75	SQ RAW HOLES 2.00 X 12 X 289.750	59.0124	25
2.25	12	289.75	SQ RAW HOLES 2.250 12 289.750	67.4635	25
2.5	12	168	SQ RAW HOLES 2.50 X 12 X 168M	44.016	25
2.5	12	241.75	SQ RAW HOLES 2.50 X 12 X 241.750	63.3385	25
2.5	12	289.75	SQ RAW HOLES 2.50 X 12 X 289.750	75.9145	25

TELESPAR® Raw WIC Steel SQ - Solid

OD	GA	Length	Description	Wt/ Piece	Standard Package
1.5	12	288.375	SQ RAW SOLID 1.500 X 12 X 288.375	49.5885	25
1.75	12	288.375	SQ RAW SOLID 1.750 X 12 X 288.375	58.5017	25
2	12	288.375	SQ RAW SOLID 2.000 X 12 X 288.375	67.4149	25
2.25	12	288.375	SQ RAW SOLID 2.250 X 12 X 288.375	76.3281	25
2.5	12	288.375	SQ RAW SOLID 2.500 X 12 X 288.375	85.2388	25

TELESPAR® Pre-Galvanized Steel SQ Solids

OD	GA	Length	Description	Wt/ Piece	Standard Package
1.5	12	288.375	TEL-SQ PGAL/S 1.500 12 288.375	49.5885	25
1.5	12	289.75	TEL-SQ PGAL/S 1.500 12 289.750	49.8249	25
1.75	12	240.375	TEL-SQ PGAL/S 1.750 12 240.375	48.7641	25
1.75	12	288.375	TEL-SQ PGAL/S 1.750 12 288.375	58.5017	25
1.75	12	288.375	TEL-SQ PGAL/S 1.750 12 288.375	58.5017	25
1.75	14	241.75	TEL-SQ PGAL/S 1.750 14 241.750	37.9366	25
1.75	14	241.75	TEL-SQ PGAL/S 1.750 14 241.750M	37.9366	25
1.75	14	241.75	TEL-SQ PGAL/S 1.750 14 241.750	37.9366	25
1.75	14	288	TEL-SQ PGAL/S 1.750 14 288.00	45.1944	25
1.75	14	288	TEL-SQ PGAL/S 1.750 14 288.00	45.1944	25
1.75	14	288	TEL-SQ PGAL/S 1.750 14 288.00	45.1944	25
1.75	14	289.75	TEL-SQ PGAL/S 1.750 14 289.750	45.469	25
1.75	14	289.75	TEL-SQ PGAL/S 1.750 14 289.750	45.469	25
2	12	241.75	TEL-SQ PGAL/S 2.000 12 241.750	56.5151	25
2	12	289.75	TEL-SQ PGAL/S 2.000 12 289.750	67.7363	25
2	14	96	TEL-SQ PGAL/S 2.000 14 96.000M	17.324	25
2	14	120	TEL-SQ PGAL/S 2.000 14 120.00M	21.655	25
2	14	144	TEL-SQ PGAL/S 2.000 14 144.00M	25.986	25
2	14	241.75	TEL-SQ PGAL/S 2.000 14 241.750	43.6258	25
2	14	289.75	TEL-SQ PGAL/S 2.000 14 289.750	52.2878	25
2.25	12	72	TEL-SQ PGAL/S 2.250 12 072.00M	19.0572	25
2.25	12	241.75	TEL-SQ PGAL/S 2.250 12 241.750	63.9872	25
2.25	12	289.75	TEL-SQ PGAL/S 2.250 12 289.750	76.692	25
2.25	12	289.75	TEL-SQ PGAL/S 2.250 12 289.750	76.692	25
2.5	12	240.375	TEL-SQ PGAL/S 2.500 12 240.375	71.0508	25
2.5	12	289.75	TEL-SQ PGAL/S 2.500 12 289.750	85.6453	25

TELESPAR® Pre-Galvanized Steel SQ 10 GA With Holes

OD	GA	Length	Description	Wt/ Piece	Standard Package
2.188	10	12	TEL-SQ PGAL/H 2.188 10 012.00M	3.458	25
2.188	10	60	TEL-SQ PGAL/H 2.188 10 060.00M	17.29	25
2.188	10	72	TEL-SQ PGAL/H 2.188 10 072.00M	20.748	25
2.188	10	96	TEL-SQ PGAL/H 2.188 10 096.00M	27.664	25
2.188	10	120	TEL-SQ PGAL/H 2.188 10 0120.00M	34.58	25
2.188	10	144	TEL-SQ PGAL/H 2.188 10 144.00M	41.496	25
2.188	10	168	TEL-SQ PGAL/H 2.188 10 168.00M	48.412	25
2.188	10	289.75	TEL-SQ PGAL/H 2.188 10 289.75P	83.4963	25
2.5	10	120	TEL-SQ PGAL/H 2.500 10 120.00M	38	25
2.5	10	144	TEL-SQ PGAL/H 2.500 10 144.00M	45.6	25
2.5	10	168	TEL-SQ PGAL/H 2.500 10 168.00M	53.2	25
2.5	10	192	TEL-SQ PGAL/H 2.500 10 192.00M	60.8	25
2.5	10	193.75	TEL-SQ PGAL/H 2.500 10 193.75	61.3542	25
2.5	10	241.75	TEL-SQ PGAL/H 2.500 10 240.00D	76.5542	25
2.5	10	289.75	TEL-SQ PGAL/H 2.500 10 289.75P	91.7542	25

Pre-Galvanized Steel 2.25" SQ 14 GA With Holes

OD	GA	Length	Description	Wt/ Piece	Standard Package
2.25	14	36	TEL-SQ PGAL/H 2.250 14 36.00 M	6.825	25
2.25	14	72	TEL-SQ PGAL/H 2.250 14 72.00 M	13.65	25
2.25	14	84	TEL-SQ PGAL/H 2.250 14 84.00 M	15.925	25
2.25	14	96	TEL-SQ PGAL/H 2.250 14 096.00M	18.2	25
2.25	14	108	TEL-SQ PGAL/H 2.250 14 108.00M	20.475	25
2.25	14	120	TEL-SQ PGAL/H 2.250 14 120.00M	22.75	25
2.25	14	132	TEL-SQ PGAL/H 2.250 14 132.00M	25.025	25
2.25	14	144	TEL-SQ PGAL/H 2.250 14 144.00M	27.3	25
2.25	14	156	TEL-SQ PGAL/H 2.250 14 156.00M	29.575	25
2.25	14	168	TEL-SQ PGAL/H 2.250 14 168.00M	31.85	25
2.25	14	180	TEL-SQ PGAL/H 2.250 14 180.00M	34.125	25
2.25	14	216	TEL-SQ PGAL/H 2.250 14 216.00M	40.95	25
2.25	14	241.75	TEL-SQ PGAL/H 2.250 14 241.75P	45.8318	25
2.25	14	265.75	TEL-SQ PGAL/H 2.250 14 265.75P	50.3818	25
2.25	14	289.75	TEL-SQ PGAL/H 2.250 14 289.75P	54.9318	25

Pre-Galvanized Steel 2" SQ 14 GA With Holes

OD	GA	Length	Description	Wt/ Piece	Standard Package
2	14	12	TEL-SQ PGAL/H 2.000 14 012.00M	1.989	25
2	14	18	TEL-SQ PGAL/H 2.000 14 018.00M	2.9835	25
2	14	36	TEL-SQ PGAL/H 2.000 14 036.00M	5.967	25
2	14	48	TEL-SQ PGAL/H 2.000 14 048.00M	7.956	25
2	14	60	TEL-SQ PGAL/H 2.000 14 060.00M	9.945	25
2	14	72	TEL-SQ PGAL/H 2.000 14 072.00M	11.934	25
2	14	84	TEL-SQ PGAL/H 2.000 14 084.00M	13.923	25
2	14	96	TEL-SQ PGAL/H 2.000 14 096.00M	15.912	25
2	14	102	TEL-SQ PGAL/H 2.000 14 102.00M	16.9065	25
2	14	108	TEL-SQ PGAL/H 2.000 14 108.00M	17.901	25
2	14	120	TEL-SQ PGAL/H 2.000 14 120.00M	19.89	25
2	14	132	TEL-SQ PGAL/H 2.000 14 132.00M	21.879	25
2	14	144	TEL-SQ PGAL/H 2.000 14 144.00M	23.868	25
2	14	156	TEL-SQ PGAL/H 2.000 14 156.00M	25.857	25
2	14	168	TEL-SQ PGAL/H 2.000 14 168.00M	27.846	25
2	14	180	TEL-SQ PGAL/H 2.000 14 180.00M	29.835	25
2	14	192	TEL-SQ PGAL/H 2.000 14 192.00M	31.824	25
2	14	204	TEL-SQ PGAL/H 2.000 14 204.00M	33.813	25
2	14	216	TEL-SQ PGAL/H 2.000 14 216.00M	35.802	25
2	14	228	TEL-SQ PGAL/H 2.000 14 228.00M	37.791	25
2	14	241.75	TEL-SQ PGAL/H 2.000 14 241.75P	40.0701	25
2	14	265.75	TEL-SQ PGAL/H 2.000 14 265.75P	44.0481	25
2	14	289.75	TEL-SQ PGAL/H 2.000 14 289.75P	48.0261	25

TELESPAR®**Pre-Galvanized Steel 1.75" SQ 14 GA With Holes**

OD	GA	Length	Description	Wt/ Piece	Standard Package
1.75	14	12	TEL-SQ PGAL/H 1.750 14 012.00M	1.71	25
1.75	14	18	TEL-SQ PGAL/H 1.750 14 018.00M	2.565	25
1.75	14	24	TEL-SQ PGAL/H 1.750 14 024.00M	3.42	25
1.75	14	32	TEL-SQ PGAL/H 1.750 14 032.00M	4.56	25
1.75	14	33	TEL-SQ PGAL/H 1.750 14 033.00M	4.7025	25
1.75	14	36	TEL-SQ PGAL/H 1.750 14 036.00M	5.13	25
1.75	14	48	TEL-SQ PGAL/H 1.750 14 048.00M	6.84	25
1.75	14	52	TEL-SQ PGAL/H 1.750 14 052.00M	7.41	25
1.75	14	59.875	TEL-SQ PGAL/H 1.750 14 059.875M	8.5322	25
1.75	14	60	TEL-SQ PGAL/H 1.750 14 060.00M	8.55	25
1.75	14	63	TEL-SQ PGAL/H 1.750 14 063.00M	8.9775	25
1.75	14	71.875	TEL-SQ PGAL/H 1.750 14 071.875M	10.2422	25
1.75	14	72	TEL-SQ PGAL/H 1.750 14 072.00M	10.26	25
1.75	14	84	TEL-SQ PGAL/H 1.750 14 084.00M	11.97	25
1.75	14	95.875	TEL-SQ PGAL/H 1.750 14 095.875M	13.6622	25
1.75	14	96	TEL-SQ PGAL/H 1.750 14 096.00M	13.68	25
1.75	14	108	TEL-SQ PGAL/H 1.750 14 108.00M	15.39	25
1.75	14	120	TEL-SQ PGAL/H 1.750 14 120.00M	17.1	25
1.75	14	132	TEL-SQ PGAL/H 1.750 14 132.00M	18.81	25
1.75	14	144	TEL-SQ PGAL/H 1.750 14 144.00M	20.52	25
1.75	14	156	TEL-SQ PGAL/H 1.750 14 156.00M	22.23	25
1.75	14	168	TEL-SQ PGAL/H 1.750 14 168.00M	23.94	25
1.75	14	169.75	TEL-SQ PGAL/H 1.750 14 169.75D	24.1894	25
1.75	14	180	TEL-SQ PGAL/H 1.750 14 180.00M	25.65	25
1.75	14	192	TEL-SQ PGAL/H 1.750 14 192.00M	27.36	25
1.75	14	193.75	TEL-SQ PGAL/H 1.750 14 193.75M	27.6094	25
1.75	14	216.75	TEL-SQ PGAL/H 1.750 14 216.75P	30.8869	25
1.75	14	241.75	TEL-SQ PGAL/H 1.750 14 241.75P	34.4494	25
1.75	14	265.75	TEL-SQ PGAL/H 1.750 14 265.75P	37.8694	25
1.75	14	289.75		41.2894	25

TELESPAR®**Pre-Galvanized Steel 1.5" SQ 14 GA With Holes**

OD	GA	Length	Description	Wt/ Piece	Standard Package
1.5	14	12	TEL-SQ PGAL/H 1.500 14 012.00M	1.5868	25
1.5	14	24	TEL-SQ PGAL/H 1.500 14 024.00M	3.1736	25
1.5	14	30	TEL-SQ PGAL/H 1.500 14 030.00M	3.967	25
1.5	14	36	TEL-SQ PGAL/H 1.500 14 036.00M	4.7604	25
1.5	14	48	TEL-SQ PGAL/H 1.500 14 048.00M	6.3472	25
1.5	14	60	TEL-SQ PGAL/H 1.500 14 060.00M	7.934	25
1.5	14	72	TEL-SQ PGAL/H 1.500 14 072.00M	9.5208	25
1.5	14	96	TEL-SQ PGAL/H 1.500 14 096.00M	12.6944	25
1.5	14	108	TEL-SQ PGAL/H 1.500 14 108.00M	14.2812	25
1.5	14	120	TEL-SQ PGAL/H 1.500 14 120.00M	15.868	25
1.5	14	144	TEL-SQ PGAL/H 1.500 14 144.00M	19.0416	25
1.5	14	192	TEL-SQ PGAL/H 1.500 14 192.00M	25.3888	25
1.5	14	241.75	TEL-SQ PGAL/H 1.500 14 241.75P	31.9674	25
1.5	14	289.75	TEL-SQ PGAL/H 1.500 14 289.75P	38.3146	25

TELESPAR®

Pre-Galvanized Steel 2.5" SQ 12 GA With Holes

OD	GA	Length	Description	Wt/ Piece	Standard Package
2.5	12	6	TEL-SQ PGAL/H 2.500 12 006.00M	1.572	25
2.5	12	8	TEL-SQ PGAL/H 2.500 12 008.00M	2.096	25
2.5	12	12	TEL-SQ PGAL/H 2.500 12 012.00M	3.144	25
2.5	12	18	TEL-SQ PGAL/H 2.500 12 018.00M	4.716	25
2.5	12	24	TEL-SQ PGAL/H 2.500 12 024.00M	6.288	25
2.5	12	30	TEL-SQ PGAL/H 2.500 12 030.00M	7.86	25
2.5	12	36	TEL-SQ PGAL/H 2.500 12 036.00M	9.432	25
2.5	12	42	TEL-SQ PGAL/H 2.500 12 042.00M	11.004	25
2.5	12	48	TEL-SQ PGAL/H 2.500 12 048.00M	12.576	25
2.5	12	54	TEL-SQ PGAL/H 2.500 12 054.00M	14.148	25
2.5	12	60	TEL-SQ PGAL/H 2.500 12 060.00M	15.72	25
2.5	12	72	TEL-SQ PGAL/H 2.500 12 072.00M	18.864	25
2.5	12	96	TEL-SQ PGAL/H 2.500 12 096.00M	25.152	25
2.5	12	108	TEL-SQ PGAL/H 2.500 12 108.00M	28.296	25
2.5	12	120	TEL-SQ PGAL/H 2.500 12 120.00M	31.44	25
2.5	12	132	TEL-SQ PGAL/H 2.500 12 132.00M	34.584	25
2.5	12	144	TEL-SQ PGAL/H 2.500 12 144.00M	37.728	25
2.5	12	156	TEL-SQ PGAL/H 2.500 12 156.00M	40.872	25
2.5	12	168	TEL-SQ PGAL/H 2.500 12 168.00M	44.016	25
2.5	12	180	TEL-SQ PGAL/H 2.500 12 180.00M	47.16	25
2.5	12	192	TEL-SQ PGAL/H 2.500 12 192.00M	50.304	25
2.5	12	193.75	TEL-SQ PGAL/H 2.500 12 193.750	50.7625	25
2.5	12	204	TEL-SQ PGAL/H 2.500 12 204.00M	53.448	25
2.5	12	216	TEL-SQ PGAL/H 2.500 12 216.00M	56.592	25
2.5	12	228	TEL-SQ PGAL/H 2.500 12 228.00M	59.736	25
2.5	12	241.75	TEL-SQ PGAL/H 2.500 12 241.750P	63.3385	25
2.5	12	241.75	TEL-SQ PGAL/H 2.500 12 241.750P	63.3385	25
2.5	12	289.75	TEL-SQ PGAL/H 2.500 12 289.750P	75.9145	25
2.5	12	360.75	TEL-SQ PGAL/H 2.500 12 360.750P	94.5165	25

TELESPAR[®]

Pre-Galvanized Steel 2.25" SQ 12 GA With Holes

OD	GA	Length	Description	Wt/ Piece	Standard Package
2.25	12	6	TEL-SQ PGAL/H 2.250 12 006.00M	1.397	25
2.25	12	8	TEL-SQ PGAL/H 2.250 12 008.00M	1.8627	25
2.25	12	9	TEL-SQ PGAL/H 2.250 12 009.00M	2.0955	25
2.25	12	12	TEL-SQ PGAL/H 2.250 12 012.00M	2.794	25
2.25	12	18	TEL-SQ PGAL/H 2.250 12 018.00M	4.191	25
2.25	12	24	TEL-SQ PGAL/H 2.250 12 024.00M	5.588	25
2.25	12	30	TEL-SQ PGAL/H 2.250 12 030.00M	6.985	25
2.25	12	36	TEL-SQ PGAL/H 2.250 12 036.00M	8.382	25
2.25	12	42	TEL-SQ PGAL/H 2.250 12 042.00M	9.779	25
2.25	12	48	TEL-SQ PGAL/H 2.250 12 048.00M	11.176	25
2.25	12	60	TEL-SQ PGAL/H 2.250 12 060.00M	13.97	25
2.25	12	72	TEL-SQ PGAL/H 2.250 12 072.00M	16.764	25
2.25	12	84	TEL-SQ PGAL/H 2.250 12 084.00M	19.558	25
2.25	12	96	TEL-SQ PGAL/H 2.250 12 096.00M	22.352	25
2.25	12	108	TEL-SQ PGAL/H 2.250 12 108.00M	25.146	25
2.25	12	120	TEL-SQ PGAL/H 2.250 12 120.00M	27.94	25
2.25	12	132	TEL-SQ PGAL/H 2.250 12 132.00M	30.734	25
2.25	12	144	TEL-SQ PGAL/H 2.250 12 144.00M	33.528	25
2.25	12	156	TEL-SQ PGAL/H 2.250 12 156.00M	36.322	25
2.25	12	168	TEL-SQ PGAL/H 2.250 12 168.00M	39.116	25
2.25	12	180	TEL-SQ PGAL/H 2.250 12 180.00M	41.91	25
2.25	12	192	TEL-SQ PGAL/H 2.250 12 192.00M	44.704	25
2.25	12	194.75	TEL-SQ PGAL/H 2.250 12 194.750	45.3443	25
2.25	12	204	TEL-SQ PGAL/H 2.250 12 204.00M	47.498	25
2.25	12	216	TEL-SQ PGAL/H 2.250 12 216.00M	50.292	25
2.25	12	241.75	TEL-SQ PGAL/H 2.250 12 241.75P	56.2875	25
2.25	12	252	TEL-SQ PGAL/H 2.250 12 252.00M	58.674	25
2.25	12	264	TEL-SQ PGAL/H 2.250 12 264.00M	61.468	25
2.25	12	289.75	TEL-SQ PGAL/H 2.250 12 289.75P	67.4635	25

TELESPAR[®] Pre-Galvanized Steel 2" SQ 12 GA With Holes

OD	GA	Length	Description	Wt/ Piece	Standard Package
2	12	6	TEL-SQ PGAL/H 2.000 12 006.00M	1.222	25
2	12	12	TEL-SQ PGAL/H 2.000 12 012.00M	2.444	25
2	12	18	TEL-SQ PGAL/H 2.000 12 018.00M	3.666	25
2	12	24	TEL-SQ PGAL/H 2.000 12 024.00M	4.888	25
2	12	30	TEL-SQ PGAL/H 2.000 12 030.00M	6.11	25
2	12	36	TEL-SQ PGAL/H 2.000 12 036.00M	7.332	25
2	12	42	TEL-SQ PGAL/H 2.000 12 042.00M	8.554	25
2	12	48	TEL-SQ PGAL/H 2.000 12 048.00M	9.776	25
2	12	60	TEL-SQ PGAL/H 2.000 12 060.00M	12.22	25
2	12	72	TEL-SQ PGAL/H 2.000 12 072.00M	14.664	25
2	12	84	TEL-SQ PGAL/H 2.000 12 084.00M	17.108	25
2	12	96	TEL-SQ PGAL/H 2.000 12 096.00M	19.552	25
2	12	96	TEL-SQ PGAL/H 2.000 12 096.00P	19.552	25
2	12	108	TEL-SQ PGAL/H 2.000 12 108.00M	21.996	25
2	12	108	TEL-SQ PGAL/H 2.000 12 108.00P	21.996	25
2	12	114	TEL-SQ PGAL/H 2.000 12 114.00M	23.218	25
2	12	120	TEL-SQ PGAL/H 2.000 12 120.00M	24.44	25
2	12	120	TEL-SQ PGAL/H 2.000 12 120.00P	24.44	25
2	12	126	TEL-SQ PGAL/H 2.000 12 126.00P	25.662	25
2	12	132	TEL-SQ PGAL/H 2.000 12 132.00M	26.884	25
2	12	132	TEL-SQ PGAL/H 2.000 12 132.00P	26.884	25
2	12	144	TEL-SQ PGAL/H 2.000 12 144.00M	29.328	25
2	12	144	TEL-SQ PGAL/H 2.000 12 144.00P	29.328	25
2	12	150	TEL-SQ PGAL/H 2.000 12 150.00M	30.55	25
2	12	156	TEL-SQ PGAL/H 2.000 12 156.00M	31.772	25
2	12	156	TEL-SQ PGAL/H 2.000 12 156.00P	31.772	25
2	12	168	TEL-SQ PGAL/H 2.000 12 168.00M	34.216	25
2	12	180	TEL-SQ PGAL/H 2.000 12 180.00M	36.66	25
2	12	192	TEL-SQ PGAL/H 2.000 12 192.00M	39.104	25
2	12	204	TEL-SQ PGAL/H 2.000 12 204.00M	41.548	25
2	12	216	TEL-SQ PGAL/H 2.000 12 216.00M	43.992	25
2	12	241.75	TEL-SQ PGAL/H 2.000 12 241.75P	49.2364	25
2	12	252	TEL-SQ PGAL/H 2.000 12 252.00M	51.324	25
2	12	265.75	TEL-SQ PGAL/H 2.000 12 265.75P	54.1244	25
2	12	289.75	TEL-SQ PGAL/H 2.000 12 289.75P	59.0124	25
2	12	289.75	TEL-SQ PGAL/H 2.000 12 289.75P	59.0124	25
2	12	289.75	TEL-SQ PGAL/H 2.000 12 289.75P	59.0124	25

TELESPAR® Pre-Galvanized Steel 1.75" SQ 12 GA With Holes

OD	GA	Length	Description	Wt/ Piece	Standard Package
1.75	12	6	TEL-SQ PGAL/H 1.750 12 006.00M	1.047	25
1.75	12	12	TEL-SQ PGAL/H 1.750 12 012.00M	2.094	25
1.75	12	18	TEL-SQ PGAL/H 1.750 12 018.00M	3.141	25
1.75	12	24	TEL-SQ PGAL/H 1.750 12 024.00M	4.188	25
1.75	12	30	TEL-SQ PGAL/H 1.750 12 030.00M	5.235	25
1.75	12	36	TEL-SQ PGAL/H 1.750 12 036.00M	6.282	25
1.75	12	42	TEL-SQ PGAL/H 1.750 12 042.00M	7.329	25
1.75	12	48	TEL-SQ PGAL/H 1.750 12 048.00M	8.376	25
1.75	12	60	TEL-SQ PGAL/H 1.750 12 060.00M	10.47	25
1.75	12	72	TEL-SQ PGAL/H 1.750 12 072.00M	12.564	25
1.75	12	84	TEL-SQ PGAL/H 1.750 12 084.00M	14.658	25
1.75	12	96	TEL-SQ PGAL/H 1.750 12 096.00M	16.752	25
1.75	12	108	TEL-SQ PGAL/H 1.750 12 108.00M	18.846	25
1.75	12	114	TEL-SQ PGAL/H 1.750 12 114.00M	19.893	25
1.75	12	120	TEL-SQ PGAL/H 1.750 12 120.00M	20.94	25
1.75	12	132	TEL-SQ PGAL/H 1.750 12 132.00M	23.034	25
1.75	12	144	TEL-SQ PGAL/H 1.750 12 144.00M	25.128	25
1.75	12	156	TEL-SQ PGAL/H 1.750 12 156.00M	27.222	25
1.75	12	168	TEL-SQ PGAL/H 1.750 12 168.00M	29.316	25
1.75	12	192	TEL-SQ PGAL/H 1.750 12 192.00M	33.504	25
1.75	12	217.75	TEL-SQ PGAL/H 1.750 12 217.75P	37.9974	25
1.75	12	241.75	TEL-SQ PGAL/H 1.750 12 241.75P	42.1854	25
1.75	12	265.75	TEL-SQ PGAL/H 1.750 12 265.75P	46.3734	25
1.75	12	289.75	TEL-SQ PGAL/H 1.750 12 289.75P	50.5614	25
1.75	12	289.75	TEL-SQ PGAL/H 1.750 12 289.75P	50.5614	25

TELESPAR® Pre-Galvanized Steel 2" SQ 12 GA With Holes

OD	GA	Length	Description	Wt/ Piece	Standard Package
2	12	6	TEL-SQ PGAL/H 2.000 12 006.00M	1.222	25
2	12	12	TEL-SQ PGAL/H 2.000 12 012.00M	2.444	25
2	12	18	TEL-SQ PGAL/H 2.000 12 018.00M	3.666	25
2	12	24	TEL-SQ PGAL/H 2.000 12 024.00M	4.888	25
2	12	30	TEL-SQ PGAL/H 2.000 12 030.00M	6.11	25
2	12	36	TEL-SQ PGAL/H 2.000 12 036.00M	7.332	25
2	12	42	TEL-SQ PGAL/H 2.000 12 042.00M	8.554	25
2	12	48	TEL-SQ PGAL/H 2.000 12 048.00M	9.776	25
2	12	60	TEL-SQ PGAL/H 2.000 12 060.00M	12.22	25
2	12	72	TEL-SQ PGAL/H 2.000 12 072.00M	14.664	25
2	12	84	TEL-SQ PGAL/H 2.000 12 084.00M	17.108	25
2	12	96	TEL-SQ PGAL/H 2.000 12 096.00M	19.552	25
2	12	96	TEL-SQ PGAL/H 2.000 12 096.00P	19.552	25
2	12	108	TEL-SQ PGAL/H 2.000 12 108.00M	21.996	25
2	12	108	TEL-SQ PGAL/H 2.000 12 108.00P	21.996	25
2	12	114	TEL-SQ PGAL/H 2.000 12 114.00M	23.218	25
2	12	120	TEL-SQ PGAL/H 2.000 12 120.00M	24.44	25
2	12	120	TEL-SQ PGAL/H 2.000 12 120.00P	24.44	25
2	12	126	TEL-SQ PGAL/H 2.000 12 126.00P	25.662	25
2	12	132	TEL-SQ PGAL/H 2.000 12 132.00M	26.884	25
2	12	132	TEL-SQ PGAL/H 2.000 12 132.00P	26.884	25
2	12	144	TEL-SQ PGAL/H 2.000 12 144.00M	29.328	25
2	12	144	TEL-SQ PGAL/H 2.000 12 144.00P	29.328	25
2	12	150	TEL-SQ PGAL/H 2.000 12 150.00M	30.55	25
2	12	156	TEL-SQ PGAL/H 2.000 12 156.00M	31.772	25
2	12	156	TEL-SQ PGAL/H 2.000 12 156.00P	31.772	25
2	12	168	TEL-SQ PGAL/H 2.000 12 168.00M	34.216	25
2	12	180	TEL-SQ PGAL/H 2.000 12 180.00M	36.66	25
2	12	192	TEL-SQ PGAL/H 2.000 12 192.00M	39.104	25
2	12	204	TEL-SQ PGAL/H 2.000 12 204.00M	41.548	25
2	12	216	TEL-SQ PGAL/H 2.000 12 216.00M	43.992	25
2	12	241.75	TEL-SQ PGAL/H 2.000 12 241.75P	49.2364	25
2	12	252	TEL-SQ PGAL/H 2.000 12 252.00M	51.324	25
2	12	265.75	TEL-SQ PGAL/H 2.000 12 265.75P	54.1244	25
2	12	289.75	TEL-SQ PGAL/H 2.000 12 289.75P	59.0124	25
2	12	289.75	TEL-SQ PGAL/H 2.000 12 289.75P	59.0124	25
2	12	289.75	TEL-SQ PGAL/H 2.000 12 289.75P	59.0124	25