

# Flat Bar



Thickness (IN)	Width (IN)	WT/FT
1/4	1/2	0.425
1/4	5/8	0.531
1/4	3/4	0.638
1/4	7/8	0.744
1/4	1	0.850
1/4	1 1/4	1.063
1/4	1 3/8	1.169
1/4	1 1/2	1.275
1/4	1 3/4	1.48
1/4	2	1.700
1/4	2 1/4	1.913
1/4	2 1/2	2.125
1/4	2 3/4	2.33
1/4	3	2.550
1/4	3 1/4	2.763
1/4	3 1/2	2.975
1/4	3 3/4	3.18
1/4	4	3.400
1/4	4 1/4	3.612
1/4	4 1/2	3.825
1/4	5	4.250
1/4	5 1/2	4.675
1/4	6	5.100
1/4	6 1/2	5.525
1/4	7	5.950
1/4	7 1/2	6.375
1/4	8	6.800
1/4	9	7.660
1/4	10	8.510
1/4	11	9.360
1/4	12	10.210
1/3	1/2	0.531
1/3	3/4	0.797
1/3	1	1.063
1/3	1 1/4	1.328
1/3	1 1/2	1.594
1/3	1 3/4	1.859
1/3	2	2.125
1/3	2 1/4	2.391
1/3	2 1/2	2.656
1/3	3	3.188
1/3	3 1/2	3.719
1/3	4	4.250
1/3	4 1/2	4.781
1/3	5	5.313
1/3	5 1/2	5.844
1/3	6	6.375
1/3	7	7.438

Thickness (IN)	Width (IN)	WT/FT
1/3	8	8.500
1/3	10	10.630
3/8	1/2	0.638
3/8	5/8	0.797
3/8	3/4	0.956
3/8	7/8	1.116
3/8	1	1.275
3/8	1 1/4	1.594
3/8	1 1/2	1.913
3/8	1 3/4	2.231
3/8	2	2.550
3/8	2 1/4	2.869
3/8	2 1/2	3.188
3/8	2 3/4	3.506
3/8	3	3.825
3/8	3 1/4	4.144
3/8	3 1/2	4.463
3/8	4	5.100
3/8	4 1/2	5.738
3/8	5	6.375
3/8	5 1/2	7.013
3/8	6	7.650
3/8	6 1/2	8.288
3/8	7	8.925
3/8	7 1/2	9.563
3/8	8	10.200
3/8	9	11.490
3/8	10	12.770
3/8	11	14.040
3/8	12	15.320
3/8	14	17.850
1/2	3/4	1.275
1/2	1	1.700
1/2	1 1/4	2.125
1/2	1 1/2	2.550
1/2	1 3/4	2.975
1/2	2	3.400
1/2	2 1/4	3.825
1/2	2 1/2	4.250
1/2	2 3/4	4.675
1/2	3	5.100
1/2	3 1/4	5.525
1/2	3 1/2	5.950
1/2	4	6.800
1/2	4 1/2	7.650
1/2	5	8.500
1/2	5 1/2	9.350
1/2	6	10.200
1/2	6 1/2	11.050
1/2	7	11.900
1/2	8	13.600
1/2	9	15.320
1/2	10	17.020

# Flat Bar



Thickness (IN)	Width (IN)	WT/FT
1/2	11	18.720
1/2	12	20.420
1/2	14	23.800
5/8	3/4	1.594
5/8	1	2.125
5/8	1 1/4	2.656
5/8	1 1/2	3.188
5/8	2	4.250
5/8	2 1/4	4.781
5/8	2 1/2	5.313
5/8	3	6.375
5/8	3 1/2	7.438
5/8	4	8.500
5/8	4 1/2	9.563
5/8	5	10.625
5/8	5 1/2	11.688
5/8	6	12.750
5/8	7	14.875
5/8	8	17.000
5/8	9	19.150
5/8	10	21.270
5/8	11	23.380
5/8	12	25.530
3/4	1	2.550
3/4	1 1/4	3.188
3/4	1 1/2	3.825
3/4	1 5/8	4.144
3/4	1 3/4	4.463
3/4	2	5.100
3/4	2 1/4	5.738
3/4	2 1/2	6.375
3/4	2 3/4	7.013
3/4	3	7.650
3/4	3 1/4	8.288
3/4	3 1/2	8.925
3/4	4	10.200
3/4	4 1/2	11.475
3/4	5	12.750
3/4	5 1/2	14.025
3/4	6	15.300
3/4	7	17.850
3/4	8	20.400
3/4	9	22.970
3/4	10	25.520
3/4	11	28.050
3/4	12	30.360
3/4	14	35.700
3/4	2	5.950
3/4	3	8.925
3/4	3 1/2	10.413
3/4	4	11.900
3/4	6	17.850
3/4	10	29.780

Thickness (IN)	Width (IN)	WT/FT
3/4	12	35.740
1	1 1/4	4.250
1	1 1/2	5.100
1	1 3/4	5.950
1	2	6.800
1	2 1/4	7.650
1	2 1/2	8.500
1	2 3/4	9.350
1	3	10.200
1	3 1/4	11.050
1	3 1/2	11.900
1	4	13.600
1	4 1/2	15.300
1	5	17.000
1	5 1/2	18.700
1	6	20.400
1	7	23.800
1	8	27.200
1	9	30.630
1	10	34.030
1	11	37.400
1	12	40.840
1	14	47.600
1 1/	1 1/2	6.375
1 1/	2	8.500
1 1/	2 1/4	9.563
1 1/	2 1/2	10.625
1 1/	2 3/4	11.688
1 1/	3	12.750
1 1/	3 1/2	14.875
1 1/	4	17.000
1 1/	4 1/2	19.12
1 1/	5	21.250
1 1/	5 1/2	23.375
1 1/	6	25.500
1 1/	7	29.750
1 1/	8	34.000
1 1/	10	42.540
1 1/	12	51.050
1 1/	2	8.925
1 1/	2	10.200
1 1/	2	11.480
1 1/	3	12.750
1 1/	3	14.030
1 1/	3	15.300
1 1/	4	17.850
1 1/	4	20.400
1 1/	5	22.950
1 1/	5	25.500
1 1/	6	30.600
1 1/	7	35.700
1 1/	8	40.800
1 1/	10	51.050

# Flat Bar



Thickness (IN)	Width (IN)	WT/FT
1 1/2	12	61.260
1 3/4	2	11.900
1 3/4	3	17.850
1 3/4	4	20.830
1 3/4	4	23.800
1 3/4	5	26.780
1 3/4	5	29.750
1 3/4	6	35.700
1 3/4	3	17.000
1 3/4	3	20.400
1 3/4	4	23.800
1 3/4	4	27.200
1 3/4	5	30.600
1 3/4	5	34.000
1 3/4	6	40.800
1 3/4	7	47.600
1 3/4	8	54.400
1 3/4	9	61.260
1 3/4	10	68.060
1 3/4	12	81.680
1 3/4	4	34.000
1 3/4	5	42.500
3	4	40.800
3	5	51.000

# Angle



Flange (IN)	Stem (IN)	Stem Thickness (IN)	WT/FT
1/2	1/2	1/8	0.380
3/4	3/4	1/8	0.590
1	1	1/8	0.800
1	1	3/16	1.160
1	1	1/4	1.490
1 1/4	1 1/4	1/8	1.010
1 1/4	1 1/4	3/16	1.480
1 1/4	1 1/4	1/4	1.920
1 1/2	1 1/2	1/8	1.230
1 1/2	1 1/2	3/16	1.800
1 1/2	2 1/2	1/4	2.340
1 3/4	1 3/4	1/8	1.440
1 3/4	1 3/4	3/16	2.120
1 3/4	1 3/4	1/4	2.770
2	1 1/4	3/16	1.960
2	1 1/4	1/4	2.550
2	1 1/2	1/8	1.440
2	1 1/2	3/16	2.120
2	1 1/2	1/4	2.770
2	2	1/8	1.650
2	2	3/16	2.440
2	2	1/4	3.190
2	2	5/16	3.920
2	2	3/8	4.700
2 1/2	1 1/2	3/16	2.440
2 1/2	1 1/2	1/4	3.190
2 1/2	2	3/16	2.750
2 1/2	2	1/4	3.620
2 1/2	2	5/16	4.500
2 1/2	2	3/8	5.300
2 1/2	2 1/2	3/16	3.070
2 1/2	2 1/2	1/4	4.100
2 1/2	2 1/2	5/16	5.000
2 1/2	2 1/2	3/8	5.900
2 1/2	2 1/2	1/2	7.700
3	2	3/16	3.070
3	2	1/4	4.100
3	2	5/16	5.000
3	2	3/8	5.900
3	2	1/2	7.700
3	2 1/2	3/16	3.390
3	2 1/2	1/4	4.500
3	2 1/2	5/16	5.600
3	2 1/2	3/8	6.600
3	2 1/2	1/2	8.500
3	3	3/16	3.710
3	3	1/4	4.900
3	3	5/16	6.100

Flange (IN)	Stem (IN)	Stem Thickness (IN)	WT/FT
3	3	3/8	7.200
3	3	1/2	9.400
3 1/2	2 1/2	1/4	4.900
3 1/2	2 1/2	5/16	6.100
3 1/2	2 1/2	3/8	7.200
3 1/2	2 1/2	1/2	9.400
3 1/2	3	1/4	5.400
3 1/2	3	5/16	6.600
3 1/2	3	3/8	7.900
3 1/2	3	1/2	10.200
3 1/2	3 1/2	1/4	5.800
3 1/2	3 1/2	5/16	7.200
3 1/2	3 1/2	3/8	8.500
3 1/2	3 1/2	1/2	11.100
4	3	1/4	5.800
4	3	5/16	7.200
4	3	3/8	8.500
4	3	1/2	11.100
4	3 1/2	1/4	6.200
4	3 1/2	5/16	7.700
4	3 1/2	3/8	9.100
4	3 1/2	1/2	11.900
4	4	1/4	6.600
4	4	5/16	8.200
4	4	3/8	9.800
4	4	1/2	12.800
4	4	5/8	15.700
4	4	3/4	18.500
5	3	1/4	6.600
5	3	5/16	8.200
5	3	3/8	9.800
5	3	1/2	12.800
5	3 1/2	1/4	7.000
5	3 1/2	5/16	8.700
5	3 1/2	3/8	10.400
5	3 1/2	1/2	13.600
5	3 1/2	5/8	16.800
5	3 1/2	3/4	19.800
5	5	5/16	10.300
5	5	3/8	12.300
5	5	1/2	16.200
5	5	5/8	20.000
5	5	3/4	23.600
6	3 1/2	5/16	9.800
6	3 1/2	3/8	11.700
6	3 1/2	1/2	15.300
6	4	5/16	10.300
6	4	3/8	12.300
6	4	1/2	16.200
6	4	5/8	20.000
6	4	3/4	23.600
6	6	5/16	12.400
6	6	3/8	14.900

## Angle

Flange (IN)	Stem (IN)	Stem Thickness (IN)	WT/FT
6	6	1/2	19.600
6	6	5/8	24.200
6	6	3/4	28.700
6	6	1/1	37.400
7	4	3/8	13.600
7	4	1/2	17.900
7	4	5/8	22.100
7	4	3/4	26.200
8	4	1/2	19.600
8	4	3/4	28.700
8	4	1/1	37.400
8	6	1/2	23.000
8	6	3/4	33.800
8	6	1/1	44.200
8	8	1/2	26.400
8	8	5/8	32.700
8	8	3/4	38.900
8	8	7/8	45.000
8	8	1/1	51.000
8	8	1/1	56.900
9	4	1/2	21.300

# WF BEAM



Nominal Depth (IN)	WT/FT	Section Depth (IN)	Flange Width (IN)	Flange Thickness (IN)	Web Thickness (IN)
4	13	4.160	4.060	0.345	0.280
5	16	5.010	5.000	0.360	0.240
5	19	5.150	5.030	0.430	0.270
6	9	5.900	3.940	0.215	0.170
6	12	6.030	4.000	0.280	0.230
6	16	6.280	4.030	0.405	0.260
6	15	5.990	5.990	0.260	0.230
6	20	6.200	6.020	0.365	0.260
6	25	6.380	6.080	0.455	0.320
8	10	7.890	3.940	0.205	0.170
8	13	7.990	4.000	0.255	0.230
8	15	8.110	4.015	0.315	0.245
8	18	8.140	5.250	0.330	0.230
8	21	8.280	5.270	0.400	0.250
8	24	7.930	6.495	0.400	0.245
8	28	8.060	6.535	0.465	0.285
8	31	8.000	7.995	0.435	0.285
8	35	8.120	8.020	0.495	0.310
8	40	8.250	8.070	0.560	0.360
8	48	8.500	8.110	0.685	0.400
8	58	8.750	8.220	0.810	0.510
8	67	9.000	8.280	0.935	0.570
10	12	9.870	3.960	0.210	0.190
10	15	9.990	4.000	0.270	0.230
10	17	10.110	4.010	0.330	0.240
10	19	10.240	4.020	0.395	0.250
10	22	10.170	5.750	0.360	0.240
10	26	10.330	5.770	0.440	0.260
10	30	10.470	5.810	0.510	0.300
10	33	9.730	7.960	0.435	0.290
10	39	9.920	7.985	0.530	0.315
10	45	10.100	8.020	0.620	0.350
10	49	9.980	10.000	0.560	0.340
10	54	10.090	10.030	0.615	0.370
10	60	10.220	10.080	0.680	0.420
10	68	10.400	10.130	0.770	0.470
10	77	10.600	10.190	0.870	0.530
10	88	10.840	10.265	0.990	0.605
10	100	11.100	10.340	1.120	0.680
10	112	11.360	10.415	1.250	0.755
12	14	11.910	3.970	0.225	0.200
12	16	11.990	3.990	0.265	0.220
12	19	12.160	4.005	0.350	0.235
12	22	12.310	4.030	0.425	0.260
12	26	12.220	6.490	0.380	0.230
12	30	12.340	6.520	0.440	0.260
12	35	12.500	6.560	0.520	0.300
12	40	11.940	8.005	0.515	0.295

# WF BEAM



Nominal Depth (IN)	WT/FT	Section Depth (IN)	Flange Width (IN)	Flange Thickness (IN)	Web Thickness (IN)
12	45	12.060	8.045	0.575	0.335
12	50	12.190	8.080	0.640	0.370
12	53	12.060	9.995	0.575	0.345
12	58	12.190	10.010	0.640	0.360
12	65	12.120	12.000	0.605	0.390
12	72	12.250	12.040	0.670	0.430
12	79	12.380	12.080	0.735	0.470
12	87	12.530	12.125	0.810	0.515
12	96	12.710	12.160	0.900	0.550
12	106	12.890	12.220	0.990	0.610
12	120	13.120	12.320	1.105	0.710
12	136	13.410	12.400	1.250	0.790
12	152	13.710	12.480	1.400	0.870
14	22	13.740	5.000	0.335	0.230
14	26	13.910	5.025	0.420	0.255
14	30	13.840	6.730	0.385	0.270
14	34	13.980	6.745	0.455	0.285
14	38	14.100	6.770	0.515	0.310
14	43	13.660	7.995	0.530	0.305
14	48	13.790	8.030	0.595	0.340
14	53	13.920	8.060	0.660	0.370
14	61	13.890	9.995	0.645	0.375
14	68	14.040	10.035	0.720	0.415
14	74	14.170	10.070	0.785	0.450
14	82	14.310	10.130	0.855	0.510
14	90	14.020	14.520	0.710	0.440
14	99	14.160	14.565	0.780	0.485
14	109	14.320	14.605	0.860	0.525
14	120	14.480	14.670	0.940	0.590
14	132	14.660	14.725	1.030	0.645
14	145	14.780	15.500	1.090	0.680
14	159	14.980	15.565	1.190	0.745
14	176	15.220	15.650	1.310	0.830
14	193	15.480	15.710	1.440	0.890
14	211	15.720	15.800	1.560	0.980
16	26	15.690	5.500	0.345	0.250
16	31	15.880	5.525	0.440	0.275
16	36	15.860	6.985	0.430	0.295
16	40	16.010	6.995	0.505	0.305
16	45	16.130	7.035	0.565	0.345
16	50	16.260	7.070	0.630	0.380
16	57	16.430	7.120	0.715	0.430
16	67	16.330	10.235	0.665	0.395
16	77	16.520	10.295	0.760	0.455
16	89	16.750	10.365	0.875	0.525
16	100	16.970	10.425	0.985	0.585
18	35	17.700	6.000	0.425	0.300
18	40	17.900	6.015	0.525	0.315
18	46	18.060	6.060	0.605	0.360
18	50	17.990	7.495	0.570	0.355
18	55	18.110	7.530	0.630	0.390
18	60	18.240	7.555	0.695	0.415
18	65	18.350	7.590	0.750	0.450

# WF BEAM



Nominal Depth (IN)	WT/FT	Section Depth (IN)	Flange Width (IN)	Flange Thickness (IN)	Web Thickness (IN)
18	71	18.470	7.635	0.810	0.495
18	76	18.210	11.035	0.680	0.425
18	86	18.390	11.090	0.770	0.480
18	97	18.590	11.145	0.870	0.535
18	106	18.730	11.200	0.940	0.590
18	119	18.970	11.265	1.060	0.655
18	130	19.250	11.160	1.200	0.670
18	143	19.490	11.220	1.320	0.730
21	44	20.660	6.500	0.450	0.350
21	48	20.650	8.140	0.430	0.350
21	50	20.830	6.530	0.535	0.380
21	55	20.800	8.220	0.522	0.375
21	57	21.060	6.555	0.650	0.405
21	62	20.990	8.240	0.615	0.400
21	68	21.130	8.270	0.685	0.430
21	73	21.240	8.295	0.740	0.455
21	83	21.430	8.355	0.835	0.515
21	93	21.620	8.420	0.930	0.580
21	101	21.360	12.290	0.800	0.500
21	111	21.510	12.340	0.875	0.550
21	122	21.680	12.390	0.960	0.600
21	132	21.830	12.440	1.035	0.650
24	55	23.570	7.005	0.505	0.395
24	62	23.740	7.040	0.590	0.430
24	68	23.730	8.965	0.585	0.415
24	76	23.920	8.990	0.680	0.440
24	84	24.100	9.020	0.770	0.470
24	94	24.310	9.065	0.875	0.515
24	103	24.530	9.000	0.981	0.550
24	104	24.060	12.750	0.750	0.500
24	117	24.260	12.800	0.850	0.550
24	131	24.480	12.855	0.960	0.605
24	146	24.740	12.800	1.080	0.650
24	162	25.000	12.955	1.220	0.705
24	176	25.240	12.890	1.340	0.750
24	192	25.470	21.950	1.450	0.810
27	84	26.710	9.960	0.640	0.460
27	94	26.920	9.990	0.745	0.490
27	102	27.090	10.015	0.830	0.515
27	114	27.290	10.070	0.930	0.570
27	129	27.630	10.010	1.100	0.610
27	146	27.380	13.965	0.975	0.605
27	161	27.590	14.020	1.080	0.660
27	178	27.810	14.085	1.190	0.725
27	194	28.110	14.035	1.340	0.750
30	90	29.530	10.400	0.610	0.470
30	99	29.650	10.450	0.670	0.520
30	108	29.830	10.475	0.760	0.545
30	116	30.010	10.495	0.850	0.565
30	124	30.170	10.515	0.930	0.585
30	132	30.310	10.545	1.000	0.615
30	148	30.670	10.480	1.180	0.650
30	173	30.440	14.985	1.065	0.655



# WF BEAM



Nominal Depth (IN)	WT/FT	Section Depth (IN)	Flange Width (IN)	Flange Thickness (IN)	Web Thickness (IN)
30	191	30.680	15.040	1.185	0.710
33	118	32.860	11.480	0.740	0.550
33	130	33.090	11.510	0.855	0.580
33	141	33.300	11.535	0.960	0.650
33	152	33.490	11.565	1.055	0.635
33	169	33.820	11.500	1.220	0.670
36	135	35.550	11.950	0.790	0.600
36	150	35.850	11.975	0.940	0.625
36	160	36.010	12.000	1.020	0.650
36	170	36.170	12.030	1.100	0.680
36	210	36.690	12.180	1.360	0.830
36	230	35.900	16.470	1.260	0.760
36	231	36.490	16.470	1.260	0.760
36	232	37.120	12.120	1.570	0.870
36	245	36.080	16.510	1.350	0.800
36	256	37.430	12.215	1.730	0.960
36	260	36.260	16.550	1.440	0.840
36	280	36.520	16.595	1.570	0.885
36	300	36.740	16.655	1.680	0.945
36	328	37.090	16.630	1.850	1.020
36	359	37.400	16.730	2.010	1.120
36	393	37.800	16.830	2.200	1.220
36	439	38.260	16.965	2.440	1.360
40	149	38.200	11.810	0.830	0.630
40	167	38.590	11.810	1.025	0.650
40	174	38.200	15.750	0.830	0.650
40	183	38.980	11.810	1.220	0.650
40	199	38.670	15.750	1.065	0.650
40	211	39.370	11.810	1.415	0.750
40	215	38.980	15.750	1.220	0.650
40	235	39.690	11.890	1.575	0.830
40	249	39.380	15.750	1.420	0.750
40	264	40.000	11.930	1.730	0.960
40	277	39.690	15.830	1.575	0.830
40	278	40.160	11.970	1.810	1.020
40	297	39.840	15.825	1.650	0.930
40	321	40.080	15.910	1.770	1.000
40	331	40.790	12.170	2.130	1.220
40	372	40.630	16.060	2.050	1.160
40	392	41.570	12.360	2.520	1.420
40	431	41.260	16.220	2.360	1.340
40	466	42.440	12.640	2.950	1.670
40	503	42.050	16.420	2.760	1.540
40	593	42.990	16.690	3.230	1.790
44	230	42.910	15.750	1.220	0.710
44	262	43.310	15.750	1.420	0.790
44	290	43.620	15.830	1.580	0.870
44	335	44.020	15.950	1.770	1.020

## I BEAM

Section Depth (IN)	Flange Width (IN)	Flange Thickness (IN)	Web Thickness (IN)	WT/FT
3	2.330	0.260	0.170	5.700
3	2.509	0.260	0.349	7.500
4	2.663	0.293	0.193	7.700
4	2.796	0.293	0.326	9.500
5	3.004	0.326	0.214	10.000
6	3.332	0.359	0.232	12.500
6	3.565	0.359	0.465	17.250
8	4.001	0.425	0.271	18.400
8	4.171	0.425	0.441	23.000
10	4.661	0.491	0.311	25.400
10	4.944	0.491	0.594	35.000
12	5.000	0.544	0.350	31.800
12	5.078	0.544	0.428	35.000
12	5.252	0.659	0.462	40.800
12	5.477	0.659	0.687	50.000
15	5.501	0.622	0.411	42.900
15	5.640	0.622	0.550	50.000
18	6.001	0.691	0.461	54.700
18	6.251	0.691	0.711	70.000
20	6.255	0.795	0.505	66.000
20	6.385	0.795	0.635	75.000
20	7.060	0.920	0.660	86.000
20	7.200	0.920	0.800	96.000
24	7.000	0.870	0.500	80.000
24	7.125	0.870	0.625	90.000
24	7.245	0.870	0.745	100.00
24	7.870	1.090	0.620	106.00

## C CHANNEL

Section Depth (IN)	Flange Width (IN)	Flange Thickness (IN)	Web Thickness (IN)	WT/FT
3	1.372	0.273	0.132	3.500
3	1.410	0.273	0.170	4.100
3	1.498	0.273	0.258	5.000
3	1.596	0.273	0.356	6.000
4	1.584	0.296	0.125	4.500
4	1.584	0.296	0.184	5.400
4	1.647	0.296	0.247	6.250
4	1.721	0.296	0.321	7.250
5	1.750	0.320	0.190	6.700
5	1.885	0.320	0.325	9.000
6	1.920	0.343	0.200	8.200
6	2.034	0.343	0.314	10.500
6	2.157	0.343	0.437	13.000
7	2.090	0.366	0.210	9.800
7	2.194	0.366	0.314	12.250
7	2.299	0.366	0.419	14.750
8	2.260	0.390	0.220	11.500
8	2.343	0.390	0.303	13.750
8	2.527	0.390	0.487	18.750
9	2.433	0.413	0.233	13.400
9	2.485	0.413	0.285	15.000
9	2.648	0.413	0.448	20.000
10	2.600	0.436	0.240	15.300
10	2.739	0.436	0.379	20.000
10	2.886	0.436	0.526	25.000
10	3.033	0.436	0.673	30.000
12	2.942	0.501	0.282	20.700
12	3.047	0.501	0.387	25.000
12	3.170	0.501	0.510	30.000
15	3.400	0.650	0.400	33.900
15	3.520	0.650	0.520	40.000
15	3.716	0.650	0.716	50.000

# SHEET



Gauge	Thickness (IN)	Width (IN)	Length (IN)	WT/SQ FT
7 Ga	0.179	48	96	7.5
7 Ga	0.179	48	20	7.5
7 Ga	0.179	48	44	7.5
7 Ga	0.179	48	40	7.5
7 Ga	0.179	60	96	7.5
7 Ga	0.179	60	20	7.5
7 Ga	0.179	60	44	7.5
7 Ga	0.179	60	40	7.5
7 Ga	0.179	72	20	7.5
7 Ga	0.179	72	44	7.5
10 Ga	0.134	48	96	5.625
10 Ga	0.134	48	20	5.625
10 Ga	0.134	48	44	5.625
10 Ga	0.134	48	40	5.625
10 Ga	0.134	60	96	5.625
10 Ga	0.134	60	20	5.625
10 Ga	0.134	60	44	5.625
10 Ga	0.134	60	40	5.625
10 Ga	0.134	72	96	5.625
10 Ga	0.134	72	20	5.625
10 Ga	0.134	72	44	5.625
10 Ga	0.134	72	40	5.625
10 Ga	0.134	84	40	5.625
10 Ga	0.134	96	40	5.625
11 Ga	0.119	48	96	5
11 Ga	0.119	48	20	5
11 Ga	0.119	48	44	5
11 Ga	0.119	60	96	5
11 Ga	0.119	60	20	5
11 Ga	0.119	60	44	5
11 Ga	0.119	60	40	5
11 Ga	0.119	72	96	5
11 Ga	0.119	72	20	5
11 Ga	0.119	72	44	5
11 Ga	0.119	72	40	4.375
12 Ga	0.104	48	96	4.375
12 Ga	0.104	48	20	4.375
12 Ga	0.104	48	44	4.375
12 Ga	0.104	60	96	4.375
12 Ga	0.104	60	20	4.375
12 Ga	0.104	60	44	4.375
12 Ga	0.104	72	96	4.375
12 Ga	0.104	72	20	4.375
12 Ga	0.104	72	44	4.375
14 Ga	0.074	48	96	3.125
14 Ga	0.074	48	20	3.125
14 Ga	0.074	48	44	3.125
14 Ga	0.074	60	96	3.125

# PLATE



Thickness (IN)	Width (IN)	Length (IN)	WT / SQFT
3/4" (0.750)	48	96	30.63
3/4" (0.750)	48	120	30.63
3/4" (0.750)	60	120	30.63
3/4" (0.750)	60	240	30.63
3/4" (0.750)	72	120	30.63
3/4" (0.750)	72	240	30.63
3/4" (0.750)	84	240	30.63
3/4" (0.750)	96	120	30.63
3/4" (0.750)	96	240	30.63
3/4" (0.750)	120	240	30.63
7/8" (0.875)	48	96	35.74
7/8" (0.875)	48	120	35.74
7/8" (0.875)	60	120	35.74
7/8" (0.875)	60	240	35.74
7/8" (0.875)	72	120	35.74
7/8" (0.875)	72	240	35.74
7/8" (0.875)	84	240	35.74
7/8" (0.875)	96	240	35.74
7/8" (0.875)	120	240	35.74
1" (1.000)	48	96	40.84
1" (1.000)	48	120	40.84
1" (1.000)	48	240	40.84
1" (1.000)	60	120	40.84
1" (1.000)	60	240	40.84
1" (1.000)	72	120	40.84
1" (1.000)	74	240	40.84
1" (1.000)	84	120	40.84
1" (1.000)	84	240	40.84
1" (1.000)	96	120	40.84
1" (1.000)	96	240	40.84
1" (1.000)	120	240	40.84
1" (1.000)	120	480	40.84
1-1/8" (1.125)	48	120	45.95
1-1/8" (1.125)	60	120	45.95
1-1/8" (1.125)	60	240	45.95
1-1/8" (1.125)	72	120	45.95
1-1/8" (1.125)	72	240	45.95
1-1/8" (1.125)	84	240	45.95
1-1/8" (1.125)	96	240	45.95
1-1/4" (1.250)	48	96	51.05
1-1/4" (1.250)	48	120	51.05
1-1/4" (1.250)	60	120	51.05
1-1/4" (1.250)	60	240	51.05
1-1/4" (1.250)	72	120	51.05
1-1/4" (1.250)	72	240	51.05
1-1/4" (1.250)	84	120	51.05
1-1/4" (1.250)	84	240	51.05
1-1/4" (1.250)	96	240	51.05

Thickness (IN)	Width (IN)	Length (IN)	WT / SQFT
1-1/4" (1.250)	120	240	51.05
1-3/8" (1.375)	96	240	56.16
1-1/2" (1.500)	48	96	61.26
1-1/2" (1.500)	48	120	61.26
1-1/2" (1.500)	60	120	61.26
1-1/2" (1.500)	60	240	61.26
1-1/2" (1.500)	72	120	61.26
1-1/2" (1.500)	72	240	61.26
1-1/2" (1.500)	84	120	61.26
1-1/2" (1.500)	84	240	61.26
1-1/2" (1.500)	96	240	61.26
1-1/2" (1.500)	120	240	61.26
1-5/8" (1.625)	96	240	66.37
1-3/4" (1.750)	72	120	71.47
1-3/4" (1.750)	72	240	71.47
1-3/4" (1.750)	96	240	71.47
1-7/8" (1.875)	96	240	76.58
2" (2.000)	48	96	81.68
2" (2.000)	48	120	81.68
2" (2.000)	60	120	81.68
2" (2.000)	60	240	81.68
2" (2.000)	72	120	81.68
2" (2.000)	72	240	81.68
2" (2.000)	84	240	81.68
2" (2.000)	96	240	81.68
2-1/4" (2.250)	72	240	91.89
2-1/4" (2.250)	96	240	91.89
2-1/2" (2.500)	72	240	102.10
2-1/2" (2.500)	96	240	102.10
2-3/4" (2.750)	96	240	112.31
3" (3.000)	60	120	122.52
3" (3.000)	60	144	122.52
3" (3.000)	60	240	122.52
3" (3.000)	72	120	122.52
3" (3.000)	72	240	122.52
3" (3.000)	84	240	122.52
3" (3.000)	96	240	122.52

# SHEET

Gauge	Thickness (IN)	Width (IN)	Length (IN)	WT/SQ FT
14 Ga	0.074	60	20	3.125
14 Ga	0.074	60	44	3.125
14 Ga	0.074	72	96	3.125
14 Ga	0.074	72	20	3.125
14 Ga	0.074	72	44	3.125
16 Ga	0.059	48	96	2.5
16 Ga	0.059	48	20	2.5
16 Ga	0.059	48	44	2.5
16 Ga	0.059	60	96	2.5
16 Ga	0.059	60	20	2.5
16 Ga	0.059	60	44	2.5