

Residential Ornamental Aluminum Fence

	36"	42"	48"	54"	60"	72"
RAIL LENGTHS:	3-Rail	3-Rail	3-Rail	3-Rail	3-Rail	3-Rail
6' Fence Section:						
6' Fence Double Picket:						
6' Fence Rackable:						
6' Fence Section Finials:						
6' Fence Section Rings:						
6' Fence Finials/Rings:						
8' Fence Section:						
8' Fence Double Picket:						
8' Fence Rackable:						
8' Fence Section Finials:						
8' Fence Section Rings:						
8' Fence Finials/Rings:						
Post Lengths:	58"	64"	70"/72"	82"	88"	102"
2" sq x .062 Line/End/Cr:						
2.5" sq x .075 Line/End/Cr:						
3" sq x .100 Line/End/Cr:						
2" x .125 Gate Post:						
2.5" sq x .125 Gate Post:						
3" sq x .125 Gate Post:						
4" sq x .125 Gate Post:						
6" sq x .125 Gate Post:						






*NOTE: 8' W Residential Sections require 24" Extended Center Picket

Commercial Ornamental Aluminum Fence


	36"	42"	48"	54"	60"	72"
RAIL LENGTHS:	3-Rail	3-Rail	3-Rail	3-Rail	3-Rail	3-Rail
6' Fence Section:						
6' Fence Double Picket:						
6' Fence Rackable:						
6' Fence Section Finials:						
6' Fence Section Rings:						
6' Fence Finials/Rings:						
8' Fence Section:						
8' Fence Double Picket:						
8' Fence Rackable:						
8 Fence Section Finials:						
8' Fence Section Rings:						
8' Fence Finials/Rings:						
Post Lenghts:	58"	64"	70"/72"	82"	88"	102"
2" sq x .062 Line/End/Cr:						
2.5" sq x .075 Line/End/Cr:						
3" sq x .100 Line/End/Cr:						
2" x .125 Gate Post:						
2.5" sq x .125 Gate Post:						
3" sq x .125 Gate Post:						
Gate Post Lengths	58"	64"	72"	88"	96"	108"
4" sq x .125 Gate Post:						
6" sq x .125 Gate Post:						
4" sq x .250 Gate Post:						
6" sq x .250 Gate Post:						



Industrial Ornamental Aluminum Fence

		lionuu		III MIII		
	36"	48"	60"	72"	84"	96"
RAIL LENGTHS:	3-Rail	3-Rail	3-Rail	3-Rail	4-Rail	4-Rail
6' Fence Section:						
6' Fence Double Picket:						
6' Fence Rackable:						
6' Fence Section Finials:						
6' Fence Section Rings:						
6' Fence Finials/Rings:						
8' Fence Section:			1		1	
8' Fence Double Picket:						
8' Fence Rackable:						
8' Fence Section Finials:						
8' Fence Section Rings:						
8' Fence Finials/Rings:						
Post Lengths:	58"	72"	88"	102"	112"	126"
2.5" sq x .075 Line/End/Cr:						
3" sq x .100 Line/End/Cr:						
2.5" sq x .125 Gate Post:						
3" sq x .125 Gate Post:						
	50"	70	0.0.1	100	140	400
Gate Post Lengths	58"	72"	88"	102"	112"	126"
4" sq x .125 Gate Post:						
6" sq x .125 Gate Post:						
4" sq x .250 Gate Post:						
6" sq x .250 Gate Post:						


Industrial: 1" sq. picket, 1-5/8" x 1-5/8" rail



Alamo Aluminum Fence and Walk Gates

			0400
	48"	54"	60"
Rails:	2-Rail	2-Rail	3-Rail
5/8" Fence Section:			
5/8" Double Picket:			
5/8" Rackable:			
3/4" Fence Section:			
3/4" Double Picket:			
3/4" Rackable:			
1" Fence Section:			
1" Double Picket:			
1" Rackable:			
	48"	54"	60"
5/8" Walk Gates: 36" Wide Opening:	48	54	60
48" Wide Opening:			
60" wide Opening:			
72" Wide Opening:			
3/4" Walk Gates:	48"	54"	60"
36" Wide Opening:	10	01	00
48" Wide Opening:			
60" wide Opening:			
72" Wide Opening:			
1" Walk Gates:	48"	54"	60"
36" Wide Opening:			
48" Wide Opening:			
60" wide Opening:			
72" Wide Opening:			
Magna Latch 20-1/4":			Net Price
MAGNA LATCH 9-1/2":			Net Price

Ideal Alamo Fence and Gates are Built to meet most pool code standards.






Residential Astor / Vanderbuilt Fence


	36"	42"	48"	54"	60"	72"
RAIL LENGTHS:	3-Rail	3-Rail	3-Rail	3-Rail	3-Rail	3-Rail
		01.4	03.0	-	-	
Fence / Pressed Spears:						
Fence Section Finials:						
Post Lengths:	58"	64"	70"/72"	82"	88"	102"
2" sq x .062 Line/End/Cr:						
2.5" sq x .075 Line/End/Cr:						
3" sq x .100 Line/End/Cr:						
2" x .125 Gate Post:						
2.5" sq x .125 Gate Post:						
3" sq x .125 Gate Post:						


Residential: 5/8" sq. picket, 1-1/16" x 1" rail, 71-3/4" wide

Residential Astor / Vanderbuilt Fence

	36"	42"	48"	54"	60"	72"
Gate/36" Opening:	T					
Gate/Finials:						
Gate/48" Opening:						
Gate/Finials:						
Gate/60" Opening:						
Gate/Finials:						
Gate/72" Opening:						
Gate/Finials:						







#501 Astor

#502 Vanderbuilt

Commercial Astor / Vanderbuilt Fence


	36"	42"	48"	54"	60"	72"
RAIL LENGTHS:	3-Rail	3-Rail	3-Rail	3-Rail	3-Rail	3-Rail
Fence / Pressed Spears:						
Fence Section Finials:						
Post Lengths:	58"	64"	70"/72"	82"	88"	102"
2" sq x .062 Line/End/Cr:						
2.5" sq x .075 Line/End/Cr:						
3" sq x .100 Line/End/Cr:						
2" x .125 Gate Post:						
2.5" sq x .125 Gate Post:						
3" sq x .125 Gate Post:						


Commercial: 3/4" sq. picket, 1-1/2" x 1" rail, 71-3/4" wide

Commercial Astor / Vanderbuilt Fence

	36"	42"	48"	54"	60"	72"
Gate/36" Opening:	369.50	384.75	392.00	401.50	413.25	437.00
Gate/Finials:	380.00	395.50	402.75	412.25	424.00	447.75
Gate/48" Opening:	386.00	398.00	406.25	418.00	430.00	453.75
Gate/Finials:	396.75	408.50	417.00	428.75	440.75	464.50
Gate/60" Opening:	427.50	439.50	453.75	469.25	481.00	510.75
Gate/Finials:	438.25	450.25	464.50	479.75	491.75	521.50
Gate/72" Opening:	447.75	471.50	478.75	496.50	507.25	539.25
Gate/Finials:	458.50	482.25	489.25	507.25	518.00	550.00

Commercial: 3/4" sq. picket, 1-1/2" x 1" rail, 71-3/4" wide







Ideal Scallop and Arched Sections

I GLO GAI A	ounop	our of the			110	
	36"	42"	48"	54"	60"	72"
RAIL LENGTHS:	3-Rail	3-Rail	3-Rail	3-Rail	3-Rail	3-Rail
5/8" Fence Section:						
5/8" w/Double Picket:						
5/8" w/Finials:						
5/8" w/Rings:						
5/8" w/Finials/Rings:						
3/4" Fence Section:						
3/4" w/Double Picket:						
3/4" w/Finials:						
3/4" w/Rings:						
3/4" w/Finials/Rings:						
1" Fence Section:						
1" w/Double Picket:						
1" w/Finials:						
1" w/Rings:						
1" w/Finials/Rings:						
Post Lengths:	58"	64"	70"	82"	88"	102"
2" sq x .062 Line/End/Cr:						
2.5" sq x .075 Line/End/Cr:						
3" sq x .100 Line/End/Cr:						
2" sq x .125 Gate Post:						
2.5" sq x .125 Gate Post:						
3" sq x .125 Gate Post:						

Priced for 6' Sections








Industrial Aluminum Talon

	84"	96"	108"	120"
6' Fence Section 2-Rail:				
6' Fence Section 3-Rail:				
8' Fence Section 2-Rail:				
8' Fence Section 3-Rail:				
Post Lengths:	108"	120"	132"	144"
2.5" sq x .075 Line/End/Cr:				
3" sq x .100 Line/End/Cr:				
2.5" sq x .125 Gate:				
3" sq x .125 Gate:				
4" sq x .125 Gate:				
6" sq x .125 Gate:				
4" sq x .250 Gate:				
6" sq x .250 Gate:				



	0-	50	100	120
48" Opening 2-Rail:				
48" Opening 3-Rail:				
60" Opening 2-Rail:				
60" Opening 3-Rail:				
72" Opening 2-Rail:				
72" Opening 3-Rail:				

1" Picket 1-5/8" Rail

Γ

Ideal Water Wing

	3' H	4' H	5' H	6' H
5/8" Fan Wing:				
5/8" Fan Wing w/Finials:				
5/8" Panel Wing:				
5/8" Panel Wing w/Finials:				
3/4" Fan Wing:				
3/4" Fan Wing w/Finials:				
3/4" Panel Wing:				
3/4" Panel Wing w/Finials:				
-				
1" Fan Wing:				
1" Fan Wing w/Finials:				
1" Panel Wing:				
1" Panel Wing w/Finials:				


PANEL WING WATER WING A Å Å Å A Å Å \$ | A A AN I AVAILABLE SIZES: AVAILABLE SIZES: 36"w x 36"h 36"w x 36"h 48"w x 48"h 48"w x 48"h 60"w x 60"h 60"w x 60"h 72"w x 72"h 72"w x 72"h

A

A

THE I

Pool Code



DON'T FORGET THESE IMPORTANT POOL SAFETY GUIDELINES:

* Pool barrier should be at least 48" above grade.

* The distance between the top of the horizontal members must be 45" or greater to pass the "Ladder-Law" regulations.


* The spacing between the vertical members should not exceed 4" (per FBC.)


* The maximun clearance below the the bottom member shall not exceed 2".


*Gates should open out from the pool.

*Gates should be self-closing and self-latching.


*The release mechanism of the gate should be at least 54" above grade.









Custom Designs We help bring your ideas to life!










You can design it...


Got an idea for a custom gate? We can make it happen! Years of experience and innovative ideas have helped us become an extremely diverse company with the power of imagination, and the knowledge to make it happen.


or we will!!!

















Aluminum Posts


	58"	64"	70"	82"	88"	96"
2" sq. x .062:						
2" sq. x .125:						
2.5" sq. x .075:						
2.5" sq. x .125:						
3" sq. x .100:						
3" sq. x .125:						
3" sq. x .250:						
4" sq. x .125:						
4" sq. x .250:						
6" sq. x .125:						
6" sq. x .250:						
8" sq. x .188:						


	102"	108"	112"	120"	126"	144"
2" sq. x .062:						
2" sq. x .125:						
2.5" sq. x .075:						
2.5" sq. x .125:						
3" sq. x .100:						
3" sq. x .125:						
3" sq. x .250:						
4" sq. x .125:						
4" sq. x .250:						
6" sq. x .125:						
6" sq. x .250:						
8" sq. x .188:						


Accessories

Stationary Wall Mount 1" x 1"	Stationary Wall Mount 1" x 1-1/2"
Stationary Wall Mount 1- 1/2" x 1-1/2"	Stationary Wall Mount 1-5/8" x 1-5/8"
Adjustable Wall Mount 1" x 1"	Adjustable Wall Mount 1-5/8" x 1-5/8"
Adjustable Wall Mount 1" x 1-1/2" Horizontal	Adjustable Wall Mount 1" x 1 1/2" Vertical
Universal Line Bracket	Universal End Bracket


Accessories












ACCESSORIES

Imperial Finial 5/8" sq 3/4"sq.	Imperial Finial 1" sq.
Majestic Finial 5/8" sq 3/4" sq.	Majestic Finial 1" sq.
Fleur-de-Les Finial 5/8" sq 3/4" sq.	Fleur-de-Les Finial 1" sq.
Spear Finials 3/4" sq.	Spear Finials 1" sq.
Picket Plug 5/8" sq 3/4" sq.	Picket Plug 1" sq.

ACCESSORIES





Ideal 180 Degree Hinge			
each			




Ideal Self-Closing Hinge

each










Accessories

Aluminum Plate 4" x 4" x 1/4" - 4" x 5" x 3/8" -	Post Flange 2"
--	-------------------







	Aluminum Square Flange 2" 8500		Aluminum Square Flange 1-1/2" 8497
--	--------------------------------------	--	--